



# SC8000

## OMNI-station Controller

### FEATURES

- Industrial PC architecture
- Intel microprocessor
- Ethernet remote control
- Detachable logic unit
- Removable CompactFlash™ memory card
- 10" BW/Color VGA display
- Industrial keyboard with 66 keys
- WINDOWS/MS-DOS operating system
- Expansion slots for PC/104 cards
- 4 serial, 1 parallel and 1 Ethernet network adapter on board
- Rugged industrial case

### APPLICATIONS

- Real time data collection and system control for omni-directional reading stations
- Parcel sorting stations
- Baggage and cargo sorting systems

### GENERAL DESCRIPTION

The Datalogic **SC8000** is a powerful system controller, based on industrial PC architecture, specialized in real time data collection, elaboration and system supervision.

Modern applications in the logistic field need to collect large amounts of data in a very short time interval, elaborate this information in real time, transmit the data through high speed channels and to provide a user-friendly interface.

This technological trend is even more true for material handling applications using bar code technology. **SC8000** fully satisfies all these needs.

**SC8000** is fitted with specialized hardware and software to collect data from Datalogic bar code readers through a fast bus protocol at 1.25 Mb/sec.

An innovative range of features makes the **SC8000** unique in terms of service and maintenance. The ability to remotely control the **SC8000** via Ethernet or modem is a real benefit for service operators, and the available industrial keyboard and VGA display enable full operability on the field.

Furthermore, the separation between the logic and wiring units, together with the removable commercial CompactFlash™ storage memory card, makes any maintenance operation easy and fast, hence reducing the cost of ownership of the OMNI-station. The resulting **SC8000** MTTR (mean time to replace) is about 5 minutes.

The **SC8000**'s open architecture has expansion slots for PC/104 standard cards, available for any kind of serial interface and I/O cards, so that the **SC8000** can control and activate local devices or switches.

**SC8000** is equipped with 4 serial ports, an Ethernet interface and a CompactFlash™ memory card for local data storage.




## MODELS AND ACCESSORIES

MODEL	DESCRIPTION	ORDER NO.
SC8000-2110	Omni-station controller F-disk	935601070
SC8000-4100	Omni-station controller, full option configuration	935601030

## SPECIFICATIONS

POWER SUPPLY	24 Vdc $\pm$ 20%
POWER CONSUMPTION	36 W
ARCHITECTURE	Standard industrial PC + active J-Box
CPU TYPE	80486 133 MHz
CACHE MEMORY	128 KBytes
RAM MEMORY	8 MBytes
STORAGE MEMORY	32 MB CompactFlash™ card (SC8000-2110) 2 GB Hard Disk (SC8000-4100)
DISPLAY TYPE	10" VGA BW (SC8000-2110) 10" VGA COLOR (SC8000-4100)
KEYBOARD	66 keys
INTERFACES	COM1/2 RS232; COM3 RS232/RS485HD COM4 RS232/RS422/RS485/20 mA C.L. Parallel Bi-directional Ethernet 10 Base T Lonworks 1.250 Mb/s
EXPANSION SLOT	PC/104
DIGITAL SIGNALS	8 input/8 output
DIMENSIONS	573 x 300 x 99.2 mm (22.56 x 11.81 x 3.9 in)
WEIGHT	13.4 Kg. (29.48 lbs.)
OPERATING TEMP.	-10 to 50 °C (14 to 122 °F)
STORAGE TEMP.	-20 to 70 °C (-4 to 158 °F)
HUMIDITY	90% non condensing

## DIMENSIONS



Product and company names and logos referenced may be either trademarks or registered trademarks of their respective companies.

We reserve the right to make modifications and improvements

**Datalogic S.p.A.**  
Italy  
Corporate Headquarters  
Tel. +39 051/3147011  
Tel. +39 051/726562  
Fax +39 051/726562  
info@datalogic.it

**Sales Italy**  
Tel. +39 051/3147300  
Tel. +39 051/726562  
Fax +39 051/726562  
venditeitalia@datalogic.it

**Sales International**  
(Central and South America,  
Far East, Middle East - Africa)  
Tel. +39 041/5986511  
Tel. +39 041/5986550  
Fax +39 041/5986550  
sales-intl@datalogic.it

**Australia**  
Datalogic PTY LTD.  
Tel. +61 3/95589299  
Tel. +61 3/95589233  
Fax +61 3/95589233  
sales@datalogic.com.au  
info@datalogic.it

**Germany**  
Datalogic GmbH  
Tel. +49 7026/6080  
Tel. +49 7026/5746  
Fax +49 7026/5746  
info@datalogic.de

**Sweden**  
Datalogic AB  
Tel. +46 40/385000  
Tel. +46 40/385001  
Fax +46 40/385001  
info@datalogic.se

**Austria**  
Datalogic Handelsges. mbH  
Tel. +43 2236/258820  
Tel. +43 2236/258825  
Fax +43 2236/258825  
office@datalogic.co.at

**Japan**  
Izumid Datalogic Co., Ltd.  
Tel. +81 78/3033400  
Tel. +81 78/3033400  
Fax +81 78/3033402  
idlmarke@izumi-datalogic.co.jp

**United Kingdom**  
Datalogic UK Ltd.  
Tel. +44 1582/464900  
Tel. +44 1582/464999  
Fax +44 1582/464999  
enquiries@datalogic.demon.co.uk

**Denmark**  
Datalogic AB  
Tel. +45 44/209970  
Tel. +45 44/209972  
Fax +45 44/209972  
info@datalogic.se

**Netherlands**  
Datalogic Optic Electronics BV  
Tel. +31 346/572888  
Tel. +31 346/568736  
Fax +31 346/568736  
info@datalogic.nl

**U.S.A.**  
Datalogic Inc.  
Tel. +1 859/6897000  
Tel. +1 859/3344970  
Fax +1 859/3344970  
info@datalogic.com

**France**  
Datalogic France S.A.  
Tel. +33 1/60921111  
Tel. +33 1/60921340  
Fax +33 1/60921340  
info@datalogic.fr

**Spain**  
Datalogic Iberia  
Tel. +34 91/3837755  
Tel. +34 91/3837962  
Fax +34 91/3837962  
dliberia@datalogic.it

**Datalogic Quality Partner**

